

[illegible]


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(n well and p well<in>metadata)"

Your search matched 7 of 1144315 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)[» Key](#)

Modify Search



IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

Select Article Information

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- | | |
|--------------------------|--|
| <input type="checkbox"/> | <p>1. Alpha-particle SEU performance of SRAM with triple well
 Puchner, H.; Radaelli, D.; Chatila, A.;
 Nuclear Science, IEEE Transactions on
 Volume 51, Issue 6, Dec. 2004 Page(s):3525 - 3528
 AbstractPlus Full Text: PDF(280 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>2. VIPMOS-a novel buried injector structure for EPROM applications
 Wijburg, R.C.; Hemink, G.J.; Middelhoeke, J.; Wallinga, H.; Mouthaan, T.J.;
 Electron Devices, IEEE Transactions on
 Volume 38, Issue 1, Jan. 1991 Page(s):111 - 120
 AbstractPlus Full Text: PDF(880 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>3. Threshold-voltage variations in VLSI MOSFETs due to short channel lengths
 Nataraj, B.S.; Kumar, R.;
 Solid-State Circuits, IEEE Journal of
 Volume 22, Issue 5, Oct 1987 Page(s):905 - 908
 AbstractPlus Full Text: PDF(544 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>4. Epl replacement and up to 30% process simplification in a CMOS foundry enviroment
 Teague, M.; Johns, S.; Haase, R.; Jones, P.; Lister, P.; Borland, J.;
 Ion Implantation Technology Proceedings, 1998 International Conference on
 Volume 1, 22-26 June 1998 Page(s):63 - 66 vol.1
 AbstractPlus Full Text: PDF(356 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>5. A low on resistance 700V charge balanced LDMOS with intersected WELL structure
 Kim, M.H.; Kim, J.J.; Choi, Y.S.; Jeon, C.K.; Kim, S.L.; Kang, H.S.; Song, C.S.;
 Power Semiconductor Devices and ICs, 2003. Proceedings. ISPSD '03. 2003 IEEE 15th
 Symposium on
 14-17 April 2003 Page(s):220 - 223
 AbstractPlus Full Text: PDF(407 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>6. New observance and analysis of various guard-ring structures on latch-up harden photo emission image
 Liao, S.; Niou, C.; Chien, K.; Guo, A.; Dong, W.; Huang, C.;
 Reliability Physics Symposium Proceedings, 2003. 41st Annual. 2003 IEEE International
 30 March-4 April 2003 Page(s):92 - 98</p> |

[AbstractPlus](#) | Full Text: [PDF](#)(454 KB) [IEEE CNF](#)



7. Process impact on SRAM alpha-particle SEU performance

Xu, Y.Z.; Puchner, H.; Chatila, A.; Pohland, O.; Bruggeman, B.; Jin, B.; Radaelli, D.; De
Reliability Physics Symposium Proceedings, 2004. 42nd Annual. 2004 IEEE International
25-29 April 2004 Page(s):294 - 299

[AbstractPlus](#) | Full Text: [PDF](#)(534 KB) [IEEE CNF](#)

[View Selected Items](#)

indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE –